



ANPING SAMLING WIREMESH PRODUCTS CO.,LTD

Iron Wire Window Screening

Material: low carbon steel wire, stainless steel wire, chemical fiber wire, aluminium magnesium alloy wire,galvanize wire, PVC wire and aluminium wire.

Weaving Methods:

The weaving include galvanized after weaving, galvanized before weaving and plain weave.

Iron Window Screen Specification:8-16mesh/inch width 0.7—1.5meter

Trait: corossion-resisting,practical, fire resisting and beautiful.

Characteristics: light weight, good toughness, corossion-resisting, good areation and easy to clean etc.

Feature:

Low price and high quality

Acid-resisting

Alkali-resisting

Heat-resisting


Wear-resisting

Corrosion-resisting

Uses:It is used in hotel, public architecture, residential for preventing mosquito and flies etc.




Iron Wire Window Screening



Iron Wire Window Screening



Iron Wire Window Screening



Iron Wire Window Screening

Iron Wire Window Screening Specification:

Metal wire window screen	Galvanized Width green painted
sp(Wire No.BWG)(mesh/inch)	sp(Wire No.BWG)(mesh/inch)
14 (mesh)x32" x 1m x 25 m	22 (mesh) x32" x 1m x 25 m
14 (mesh)x 32" x 3' x 25 m	24 (mesh)x32" x 1m x 25 m
14 (mesh)x 32" x 4' x 25 m	25 (mesh)x32" x 1m x 25 m
16 (mesh)x 32" x 1 m x 25 m	26 (mesh) x32" x 1m x 25 m
16 (mesh)x 32" x 4' x 25 m	26 (mesh)x33" x 1m x 25 m
18 (mesh)x 32" x 1m x 2 5m	
18 (mesh)x32" x 4' x 25 m	
20 (mesh)x 32" x 1 m x 25 m	Note : wirthd of 0.6m-1.5m available

